

```

1 root@A:/home/admin# dig A.tld ANY
2
3 ; <<>> DiG 9.18.33-1~deb12u2-Debian <<>> A.tld ANY
4 ;; global options: +cmd
5 ;; Got answer:
6 ;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 27309
7 ;; flags: qr aa rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 1
8
9 ;; OPT PSEUDOSECTION:
10 ; EDNS: version: 0, flags:; udp: 1232
11 ;; QUESTION SECTION:
12 ;A.tld.                IN      ANY
13
14 ;; ANSWER SECTION:
15 A.tld.                 0      IN      TXT     "v=spf1 mx a -all"
16 A.tld.                 0      IN      A       127.0.0.1
17 A.tld.                 0      IN      AAAA    ::1
18 A.tld.                 0      IN      AAAA    ***IP6***
19
20 ;; Query time: 0 msec
21 ;; SERVER: 127.0.0.1#53(127.0.0.1) (TCP)
22 ;; WHEN: Tue Sep 02 12:33:45 UTC 2025
23 ;; MSG SIZE rcvd: 137
24
25 root@A:/home/admin# dig B.tld ANY
26
27 ; <<>> DiG 9.18.33-1~deb12u2-Debian <<>> B.tld ANY
28 ;; global options: +cmd
29 ;; Got answer:
30 ;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 50630
31 ;; flags: qr aa rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 1
32
33 ;; OPT PSEUDOSECTION:
34 ; EDNS: version: 0, flags:; udp: 1232
35 ;; QUESTION SECTION:
36 ;B.tld.                IN      ANY
37
38 ;; ANSWER SECTION:
39 B.tld.                 0      IN      TXT     "v=spf1 mx a -all"
40 B.tld.                 0      IN      A       127.0.0.1
41 B.tld.                 0      IN      AAAA    ::1
42 B.tld.                 0      IN      AAAA    ***IP6***
43
44 ;; Query time: 0 msec
45 ;; SERVER: 127.0.0.1#53(127.0.0.1) (TCP)
46 ;; WHEN: Tue Sep 02 12:33:55 UTC 2025
47 ;; MSG SIZE rcvd: 137
48
49 root@A:/home/admin# dig A.tld MX
50
51 ; <<>> DiG 9.18.33-1~deb12u2-Debian <<>> A.tld MX
52 ;; global options: +cmd
53 ;; Got answer:
54 ;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 26247
55 ;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1
56
57 ;; OPT PSEUDOSECTION:
58 ; EDNS: version: 0, flags:; udp: 1232
59 ;; QUESTION SECTION:
60 ;A.tld.                IN      MX
61
62 ;; ANSWER SECTION:
63 A.tld.                 25390  IN      MX      10 A.tld.
64
65 ;; Query time: 4 msec
66 ;; SERVER: 127.0.0.1#53(127.0.0.1) (UDP)
67 ;; WHEN: Tue Sep 02 12:37:36 UTC 2025
68 ;; MSG SIZE rcvd: 52
69

```

```
70 root@A:/home/admin# dig B.tld MX
71
72 ; <<> DiG 9.18.33-1~deb12u2-Debian <<> B.tld MX
73 ;; global options: +cmd
74 ;; Got answer:
75 ;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 42526
76 ;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1
77
78 ;; OPT PSEUDOSECTION:
79 ; EDNS: version: 0, flags:; udp: 1232
80 ;; QUESTION SECTION:
81 ;B.tld.                IN      MX
82
83 ;; ANSWER SECTION:
84 B.tld.                 300     IN      MX      10 B.tld.
85
86 ;; Query time: 16 msec
87 ;; SERVER: 127.0.0.1#53(127.0.0.1) (UDP)
88 ;; WHEN: Tue Sep 02 12:38:04 UTC 2025
89 ;; MSG SIZE rcvd: 52
90
91 root@A:/home/admin#
```