

```
2020-04-02 09:21:02,652: DEBUG - + python2.7 -
2020-04-02 09:21:02,753: DEBUG - + [[ db_name =~ ^(unprotected|skipped)_ ]]
2020-04-02 09:21:02,753: DEBUG - + ynh_mysql_setup_db --db_user=etherpad_mypads --
db_name=etherpad_mypads
2020-04-02 09:21:02,753: DEBUG - + local legacy_args=unp
2020-04-02 09:21:02,753: DEBUG - + args_array=(([u]=db_user= [n]=db_name= [p]=db_pwd=)
2020-04-02 09:21:02,754: DEBUG - + declare -Ar args_array
2020-04-02 09:21:02,754: DEBUG - + local db_user
2020-04-02 09:21:02,754: DEBUG - + local db_name
2020-04-02 09:21:02,754: DEBUG - + db_pwd=
2020-04-02 09:21:02,755: DEBUG - + ynh_handle_getopts_args --db_user=etherpad_mypads --
db_name=etherpad_mypads
2020-04-02 09:21:02,755: DEBUG - + set +x
2020-04-02 09:21:02,755: DEBUG - ++ ynh_string_random
2020-04-02 09:21:02,755: DEBUG - ++ local legacy_args=l
2020-04-02 09:21:02,756: DEBUG - ++ args_array=(([l]=length=)
2020-04-02 09:21:02,756: DEBUG - ++ declare -Ar args_array
2020-04-02 09:21:02,756: DEBUG - ++ local length
2020-04-02 09:21:02,756: DEBUG - ++ ynh_handle_getopts_args
2020-04-02 09:21:02,757: DEBUG - ++ set +x
2020-04-02 09:21:02,757: DEBUG - ++ length=24
2020-04-02 09:21:02,757: DEBUG - ++ sed -n 's/^(.{24}\).*^1/p'
2020-04-02 09:21:02,757: DEBUG - ++ tr -c -d A-Za-z0-9
2020-04-02 09:21:02,758: DEBUG - ++ dd if=/dev/urandom bs=1 count=1000
2020-04-02 09:21:02,758: DEBUG - + local new_db_pwd=*****
2020-04-02 09:21:02,758: DEBUG - + db_pwd=*****
2020-04-02 09:21:02,758: DEBUG - + ynh_mysql_create_db etherpad_mypads etherpad_mypads
*****
2020-04-02 09:21:02,759: DEBUG - + local db=etherpad_mypads
2020-04-02 09:21:02,759: DEBUG - + local 'sql=CREATE DATABASE etherpad_mypads;'
2020-04-02 09:21:02,759: DEBUG - + [[ 3 -gt 1 ]]
2020-04-02 09:21:02,759: DEBUG - + sql+=' GRANT ALL PRIVILEGES ON etherpad_mypads.* TO
\"etherpad_mypads\"@\"localhost\"
2020-04-02 09:21:02,760: DEBUG - + [[ -n ***** ]]
2020-04-02 09:21:02,762: DEBUG - + sql+=' IDENTIFIED BY \"*****\"
2020-04-02 09:21:02,762: DEBUG - + sql+=' WITH GRANT OPTION;'
2020-04-02 09:21:02,762: DEBUG - + ynh_mysql_execute_as_root '--sql=CREATE DATABASE
etherpad_mypads; GRANT ALL PRIVILEGES ON etherpad_mypads.* TO
\"etherpad_mypads\"@\"localhost\" IDENTIFIED BY \"*****\" WITH GRANT OPTION;'
2020-04-02 09:21:02,763: DEBUG - + local legacy_args=sd
2020-04-02 09:21:02,763: DEBUG - + args_array=(([s]=sql= [d]=database=)
2020-04-02 09:21:02,763: DEBUG - + declare -Ar args_array
2020-04-02 09:21:02,763: DEBUG - + local sql
2020-04-02 09:21:02,763: DEBUG - + local database
2020-04-02 09:21:02,764: DEBUG - + ynh_handle_getopts_args '--sql=CREATE DATABASE
etherpad_mypads; GRANT ALL PRIVILEGES ON etherpad_mypads.* TO
\"etherpad_mypads\"@\"localhost\" IDENTIFIED BY \"*****\" WITH GRANT OPTION;'
2020-04-02 09:21:02,764: DEBUG - + set +x
2020-04-02 09:21:02,764: DEBUG - + database=
2020-04-02 09:21:02,764: DEBUG - ++ sudo cat /etc/yunohost/mysql
2020-04-02 09:21:02,765: DEBUG - + ynh_mysql_connect_as --user=root --password=***** --
database=
2020-04-02 09:21:02,765: DEBUG - + local legacy_args=upd
2020-04-02 09:21:02,765: DEBUG - + args_array=(([u]=user= [p]=password= [d]=database=)
2020-04-02 09:21:02,765: DEBUG - + declare -Ar args_array
```

```
2020-04-02 09:21:02,765: DEBUG - + local user
2020-04-02 09:21:02,766: DEBUG - + local password
2020-04-02 09:21:02,766: DEBUG - + local database
2020-04-02 09:21:02,766: DEBUG - + ynh_handle_getopts_args --user=root --password=***** --
database=
2020-04-02 09:21:02,766: DEBUG - + set +x
2020-04-02 09:21:02,766: DEBUG - + database=
2020-04-02 09:21:02,766: DEBUG - + mysql -u root --password=***** -B "
2020-04-02 09:21:02,867: DEBUG - + ynh_app_setting_set --app=etherpad_mypads --key=mysqlpwd --
value=*****
2020-04-02 09:21:02,867: DEBUG - + local legacy_args=akv
2020-04-02 09:21:02,867: DEBUG - + args_array=( [a]=app= [k]=key= [v]=value=)
2020-04-02 09:21:02,868: DEBUG - + declare -Ar args_array
2020-04-02 09:21:02,868: DEBUG - + local app
2020-04-02 09:21:02,868: DEBUG - + local key
2020-04-02 09:21:02,868: DEBUG - + local value
2020-04-02 09:21:02,868: DEBUG - + ynh_handle_getopts_args --app=etherpad_mypads --key=mysqlpwd
--value=*****
2020-04-02 09:21:02,869: DEBUG - + set +x
2020-04-02 09:21:02,869: DEBUG - + ynh_app_setting set etherpad_mypads mysqlpwd *****
2020-04-02 09:21:02,869: DEBUG - + [[ set == \d\e\l\l\e\t\l\l\l ]]
2020-04-02 09:21:02,869: DEBUG - + ACTION=set
2020-04-02 09:21:02,869: DEBUG - + APP=etherpad_mypads
2020-04-02 09:21:02,870: DEBUG - + KEY=mysqlpwd
2020-04-02 09:21:02,870: DEBUG - + VALUE=*****
2020-04-02 09:21:02,870: DEBUG - + python2.7 -
2020-04-02 09:21:02,970: DEBUG - + [[ mysqlpwd =~ ^(unprotected|skipped)_ ]]
2020-04-02 09:21:02,971: DEBUG - + ynh_script_progression '--message=Setting up source files...' --
weight=4
2020-04-02 09:21:02,971: DEBUG - + set +x
2020-04-02 09:21:02,971: DEBUG - + set +x
2020-04-02 09:21:02,971: DEBUG - + echo '! Helper used in legacy mode !'
2020-04-02 09:21:02,971: DEBUG - + set +x
2020-04-02 09:21:02,972: DEBUG - + echo '[#####.....] > Setting up source files...'
2020-04-02 09:21:02,972: DEBUG - + set -x
2020-04-02 09:21:02,972: DEBUG - + ynh_app_setting_set --app=etherpad_mypads --key=final_path --
value=/var/www/etherpad_mypads
2020-04-02 09:21:02,972: DEBUG - + local legacy_args=akv
2020-04-02 09:21:02,972: DEBUG - + args_array=( [a]=app= [k]=key= [v]=value=)
2020-04-02 09:21:02,973: DEBUG - + declare -Ar args_array
2020-04-02 09:21:02,973: DEBUG - + local app
2020-04-02 09:21:02,973: DEBUG - + local key
2020-04-02 09:21:02,973: DEBUG - + local value
2020-04-02 09:21:02,973: DEBUG - + ynh_handle_getopts_args --app=etherpad_mypads --key=final_path
--value=/var/www/etherpad_mypads
2020-04-02 09:21:02,974: DEBUG - + set +x
2020-04-02 09:21:02,974: DEBUG - + ynh_app_setting set etherpad_mypads final_path
/var/www/etherpad_mypads
2020-04-02 09:21:02,974: DEBUG - + [[ set == \d\e\l\l\e\t\l\l\l ]]
2020-04-02 09:21:02,974: DEBUG - + ACTION=set
2020-04-02 09:21:02,981: DEBUG - + APP=etherpad_mypads
2020-04-02 09:21:02,981: DEBUG - + KEY=final_path
2020-04-02 09:21:02,981: DEBUG - + VALUE=/var/www/etherpad_mypads
2020-04-02 09:21:02,981: DEBUG - + python2.7 -
2020-04-02 09:21:03,082: DEBUG - + [[ final_path =~ ^(unprotected|skipped)_ ]]
```

```
2020-04-02 09:21:03,082: INFO - [#####.....] > Setting up source files...
2020-04-02 09:21:03,082: DEBUG - + ynh_setup_source --dest_dir=/var/www/etherpad_mypads
2020-04-02 09:21:03,083: DEBUG - + local legacy_args=ds
2020-04-02 09:21:03,083: DEBUG - + args_array=(([d]=dest_dir=[s]=source_id=)
2020-04-02 09:21:03,083: DEBUG - + declare -Ar args_array
2020-04-02 09:21:03,083: DEBUG - + local dest_dir
2020-04-02 09:21:03,083: DEBUG - + local source_id
2020-04-02 09:21:03,084: DEBUG - + ynh_handle_getopts_args --dest_dir=/var/www/etherpad_mypads
2020-04-02 09:21:03,084: DEBUG - + set +x
2020-04-02 09:21:03,084: DEBUG - + source_id=app
2020-04-02 09:21:03,084: DEBUG - + local
src_file_path=/var/cache/yunohost/from_file/etherpad_mypads_ynh-
4219a14046b7cccf3b7acaac04fa6db31a225d7/scripts/./conf/app.src
2020-04-02 09:21:03,084: DEBUG - + '[' '!' -e /var/cache/yunohost/from_file/etherpad_mypads_ynh-
4219a14046b7cccf3b7acaac04fa6db31a225d7/scripts/./conf/app.src ']'
2020-04-02 09:21:03,085: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,085: DEBUG - ++ grep SOURCE_URL=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,085: DEBUG - + local
src_url=https://github.com/ether/etherpad-lite/archive/1.7.5.tar.gz
2020-04-02 09:21:03,085: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,085: DEBUG - ++ grep SOURCE_SUM=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,086: DEBUG - + local src_sum=01971447ff7b4d0d2af52faf02edb032
2020-04-02 09:21:03,086: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,086: DEBUG - ++ grep SOURCE_SUM_PRG=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,086: DEBUG - + local src_sumprg=md5sum
2020-04-02 09:21:03,087: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,187: DEBUG - ++ grep SOURCE_FORMAT=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,187: DEBUG - + local src_format=
2020-04-02 09:21:03,188: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,188: DEBUG - ++ grep SOURCE_EXTRACT=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,188: DEBUG - + local src_extract=
2020-04-02 09:21:03,188: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,188: DEBUG - ++ grep SOURCE_IN_SUBDIR=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,189: DEBUG - + local src_in_subdir=true
2020-04-02 09:21:03,189: DEBUG - ++ cut -d= -f2-
2020-04-02 09:21:03,189: DEBUG - ++ grep SOURCE_FILENAME=
/var/cache/yunohost/from_file/etherpad_mypads_ynh-4219a14046b7cccf3b7acaac04fa6db31a225d7/
scripts/./conf/app.src
2020-04-02 09:21:03,189: DEBUG - + local src_filename=
2020-04-02 09:21:03,189: DEBUG - + src_sumprg=md5sum
2020-04-02 09:21:03,190: DEBUG - + src_in_subdir=true
2020-04-02 09:21:03,190: DEBUG - + src_format=tar.gz
2020-04-02 09:21:03,190: DEBUG - ++ tr '[:upper:]' '[:lower:]'
```

```
2020-04-02 09:21:03,190: DEBUG - ++ echo tar.gz
2020-04-02 09:21:03,190: DEBUG - + src_format=tar.gz
2020-04-02 09:21:03,190: DEBUG - + src_extract=true
2020-04-02 09:21:03,191: DEBUG - + '[' " = " ']'
2020-04-02 09:21:03,191: DEBUG - + src_filename=app.tar.gz
2020-04-02 09:21:03,191: DEBUG - + local local_src=/opt/yunohost-apps-src/etherpad_mypads/app.tar.gz
2020-04-02 09:21:03,191: DEBUG - + test -e /opt/yunohost-apps-src/etherpad_mypads/app.tar.gz
2020-04-02 09:21:03,191: DEBUG - ++ wget -nv -O app.tar.gz
https://github.com/ether/etherpad-lite/archive/1.7.5.tar.gz
2020-04-02 09:21:04,596: DEBUG - + local 'out=2020-04-02 09:21:04
URL:https://codeload.github.com/ether/etherpad-lite/tar.gz/1.7.5 [1596866] -> "app.tar.gz" [1]'
2020-04-02 09:21:04,596: DEBUG - + md5sum -c --status
2020-04-02 09:21:04,596: DEBUG - + echo '01971447ff7b4d0d2af52faf02edb032 app.tar.gz'
2020-04-02 09:21:04,597: DEBUG - + mkdir -p /var/www/etherpad_mypads
2020-04-02 09:21:04,597: DEBUG - + true
2020-04-02 09:21:04,597: DEBUG - + '[' tar.gz = zip ']'
2020-04-02 09:21:04,597: DEBUG - + local strip=
2020-04-02 09:21:04,597: DEBUG - + '[' true != false ']'
2020-04-02 09:21:04,597: DEBUG - + '[' true == true ']'
2020-04-02 09:21:04,598: DEBUG - + local sub_dirs=1
2020-04-02 09:21:04,598: DEBUG - + strip='--strip-components 1'
2020-04-02 09:21:04,598: DEBUG - + [[ tar.gz =~ ^tar.gz|tar.bz2|tar.xz$ ]]
2020-04-02 09:21:04,598: DEBUG - + tar -xf app.tar.gz -C /var/www/etherpad_mypads --strip-components
1
2020-04-02 09:21:04,699: DEBUG - ++ wc -l
2020-04-02 09:21:04,699: DEBUG - ++ find /var/cache/yunohost/from_file/etherpad_mypads_ynh-
4219a14046b7ccfd3b7acaac04fa6db31a225d7/scripts/../sources/patches/ -type f -name 'app-*.patch'
2020-04-02 09:21:04,699: DEBUG - + (( 0 > 0 ))
2020-04-02 09:21:04,699: DEBUG - + test -e /var/cache/yunohost/from_file/etherpad_mypads_ynh-
4219a14046b7ccfd3b7acaac04fa6db31a225d7/scripts/../sources/extra_files/app
2020-04-02 09:21:04,699: DEBUG - + ynh_script_progression '--message=Configuring nginx web server...'
--weight=2
2020-04-02 09:21:04,700: DEBUG - + set +x
2020-04-02 09:21:04,700: DEBUG - + set +x
2020-04-02 09:21:04,700: DEBUG - + echo '! Helper used in legacy mode !'
2020-04-02 09:21:04,700: DEBUG - + set +x
2020-04-02 09:21:04,700: DEBUG - + echo '[#####.....] > Configuring nginx web server...'
2020-04-02 09:21:04,701: DEBUG - + set -x
2020-04-02 09:21:04,701: DEBUG - + ynh_add_nginx_config
2020-04-02 09:21:04,701: DEBUG - +
finalnginxconf=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,701: DEBUG - + local others_var=
2020-04-02 09:21:04,701: DEBUG - + ynh_backup_if_checksum_is_different
--file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,702: DEBUG - + local legacy_args=f
2020-04-02 09:21:04,702: DEBUG - + args_array=(([f]=file=)
2020-04-02 09:21:04,702: DEBUG - + declare -Ar args_array
2020-04-02 09:21:04,702: DEBUG - + local file
2020-04-02 09:21:04,702: DEBUG - + ynh_handle_getopts_args
--file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,702: DEBUG - + set +x
2020-04-02 09:21:04,703: DEBUG - + local
checksum_setting_name=checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
2020-04-02 09:21:04,703: DEBUG - ++ ynh_app_setting_get --app=etherpad_mypads --
key=checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
```

```
2020-04-02 09:21:04,703: DEBUG - ++ local legacy_args=ak
2020-04-02 09:21:04,703: DEBUG - ++ args_array=( [a]=app= [k]=key=)
2020-04-02 09:21:04,703: DEBUG - ++ declare -Ar args_array
2020-04-02 09:21:04,704: DEBUG - ++ local app
2020-04-02 09:21:04,708: DEBUG - ++ local key
2020-04-02 09:21:04,708: DEBUG - ++ ynh_handle_getopts_args --app=etherpad_mypads --
key=checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
2020-04-02 09:21:04,708: DEBUG - ++ set +x
2020-04-02 09:21:04,708: DEBUG - ++ ynh_app_setting get etherpad_mypads
checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
2020-04-02 09:21:04,709: DEBUG - ++ [[ get == \d\e\l\e\t\e ]]
2020-04-02 09:21:04,709: DEBUG - ++ ACTION=get
2020-04-02 09:21:04,709: DEBUG - ++ APP=etherpad_mypads
2020-04-02 09:21:04,709: DEBUG - ++
KEY=checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
2020-04-02 09:21:04,709: DEBUG - ++ VALUE=
2020-04-02 09:21:04,709: DEBUG - ++ python2.7 -
2020-04-02 09:21:04,911: DEBUG - ++
[[ checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf =~ ^(unprotected|skipped)_ ]]
2020-04-02 09:21:04,911: INFO - [#####.....] > Configuring nginx web server...
2020-04-02 09:21:04,912: DEBUG - + local checksum_value=
2020-04-02 09:21:04,912: DEBUG - + backup_file_checksum=
2020-04-02 09:21:04,912: DEBUG - + '[' -n '' ']'
2020-04-02 09:21:04,912: DEBUG - + sudo cp ../conf/nginx.conf
/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,913: DEBUG - + test -n /pad
2020-04-02 09:21:04,913: DEBUG - + local path_url_slash_less=/pad
2020-04-02 09:21:04,913: DEBUG - + ynh_replace_string --match_string=__PATH__ /
--replace_string=/pad/ --target_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,913: DEBUG - + local legacy_args=mrf
2020-04-02 09:21:04,913: DEBUG - + args_array=( [m]=match_string= [r]=replace_string= [f]=target_file=)
2020-04-02 09:21:04,914: DEBUG - + declare -Ar args_array
2020-04-02 09:21:04,914: DEBUG - + local match_string
2020-04-02 09:21:04,914: DEBUG - + local replace_string
2020-04-02 09:21:04,914: DEBUG - + local target_file
2020-04-02 09:21:04,914: DEBUG - + ynh_handle_getopts_args --match_string=__PATH__ / --
replace_string=/pad/ --target_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,914: DEBUG - + set +x
2020-04-02 09:21:04,915: DEBUG - + local delimiter=@
2020-04-02 09:21:04,918: DEBUG - + match_string=__PATH__ /
2020-04-02 09:21:04,918: DEBUG - + replace_string=/pad/
2020-04-02 09:21:04,918: DEBUG - + sudo sed --in-place s@__PATH__/@/pad/@g
/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,918: DEBUG - + ynh_replace_string --match_string=__PATH__ --replace_string=/pad
--target_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,918: DEBUG - + local legacy_args=mrf
2020-04-02 09:21:04,919: DEBUG - + args_array=( [m]=match_string= [r]=replace_string= [f]=target_file=)
2020-04-02 09:21:04,919: DEBUG - + declare -Ar args_array
2020-04-02 09:21:04,919: DEBUG - + local match_string
2020-04-02 09:21:04,919: DEBUG - + local replace_string
2020-04-02 09:21:04,919: DEBUG - + local target_file
2020-04-02 09:21:04,919: DEBUG - + ynh_handle_getopts_args --match_string=__PATH__ --
replace_string=/pad --target_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:04,920: DEBUG - + set +x
2020-04-02 09:21:04,921: DEBUG - + local delimiter=@
```

2020-04-02 09:21:04,921: DEBUG - + match\_string=\_\_PATH\_\_  
2020-04-02 09:21:04,921: DEBUG - + replace\_string=/pad  
2020-04-02 09:21:04,921: DEBUG - + sudo sed --in-place s@\_\_PATH\_\_@/pad@g  
/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:04,922: DEBUG - + test -n mhep.netlib.re  
2020-04-02 09:21:04,922: DEBUG - + ynh\_replace\_string --match\_string=\_\_DOMAIN\_\_ --  
replace\_string=mhep.netlib.re --target\_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:04,922: DEBUG - + local legacy\_args=mrf  
2020-04-02 09:21:04,922: DEBUG - + args\_array=([m]=match\_string= [r]=replace\_string= [f]=target\_file=)  
2020-04-02 09:21:04,922: DEBUG - + declare -Ar args\_array  
2020-04-02 09:21:04,923: DEBUG - + local match\_string  
2020-04-02 09:21:04,923: DEBUG - + local replace\_string  
2020-04-02 09:21:04,923: DEBUG - + local target\_file  
2020-04-02 09:21:04,923: DEBUG - + ynh\_handle\_getopts\_args --match\_string=\_\_DOMAIN\_\_ --  
replace\_string=mhep.netlib.re --target\_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:04,923: DEBUG - + set +x  
2020-04-02 09:21:05,024: DEBUG - + local delimiter=@  
2020-04-02 09:21:05,024: DEBUG - + match\_string=\_\_DOMAIN\_\_  
2020-04-02 09:21:05,024: DEBUG - + replace\_string=mhep.netlib.re  
2020-04-02 09:21:05,024: DEBUG - + sudo sed --in-place s@\_\_DOMAIN\_\_@mhep.netlib.re@g  
/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:05,025: DEBUG - + test -n 9001  
2020-04-02 09:21:05,025: DEBUG - + ynh\_replace\_string --match\_string=\_\_PORT\_\_ --  
replace\_string=9001 --target\_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:05,025: DEBUG - + local legacy\_args=mrf  
2020-04-02 09:21:05,025: DEBUG - + args\_array=([m]=match\_string= [r]=replace\_string= [f]=target\_file=)  
2020-04-02 09:21:05,025: DEBUG - + declare -Ar args\_array  
2020-04-02 09:21:05,026: DEBUG - + local match\_string  
2020-04-02 09:21:05,026: DEBUG - + local replace\_string  
2020-04-02 09:21:05,026: DEBUG - + local target\_file  
2020-04-02 09:21:05,026: DEBUG - + ynh\_handle\_getopts\_args --match\_string=\_\_PORT\_\_ --  
replace\_string=9001 --target\_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:05,026: DEBUG - + set +x  
2020-04-02 09:21:05,027: DEBUG - + local delimiter=@  
2020-04-02 09:21:05,027: DEBUG - + match\_string=\_\_PORT\_\_  
2020-04-02 09:21:05,027: DEBUG - + replace\_string=9001  
2020-04-02 09:21:05,027: DEBUG - + sudo sed --in-place s@\_\_PORT\_\_@9001@g  
/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:05,027: DEBUG - + test -n etherpad\_mypads  
2020-04-02 09:21:05,027: DEBUG - + ynh\_replace\_string --match\_string=\_\_NAME\_\_ --  
replace\_string=etherpad\_mypads --target\_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:05,028: DEBUG - + local legacy\_args=mrf  
2020-04-02 09:21:05,029: DEBUG - + args\_array=([m]=match\_string= [r]=replace\_string= [f]=target\_file=)  
2020-04-02 09:21:05,029: DEBUG - + declare -Ar args\_array  
2020-04-02 09:21:05,029: DEBUG - + local match\_string  
2020-04-02 09:21:05,029: DEBUG - + local replace\_string  
2020-04-02 09:21:05,029: DEBUG - + local target\_file  
2020-04-02 09:21:05,030: DEBUG - + ynh\_handle\_getopts\_args --match\_string=\_\_NAME\_\_ --  
replace\_string=etherpad\_mypads --target\_file=/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf  
2020-04-02 09:21:05,030: DEBUG - + set +x  
2020-04-02 09:21:05,030: DEBUG - + local delimiter=@  
2020-04-02 09:21:05,030: DEBUG - + match\_string=\_\_NAME\_\_  
2020-04-02 09:21:05,030: DEBUG - + replace\_string=etherpad\_mypads  
2020-04-02 09:21:05,031: DEBUG - + sudo sed --in-place s@\_\_NAME\_\_@etherpad\_mypads@g  
/etc/nginx/conf.d/mhep.netlib.re.d/etherpad\_mypads.conf

```
2020-04-02 09:21:05,031: DEBUG - + test -n /var/www/etherpad_mypads
2020-04-02 09:21:05,031: DEBUG - + ynh_replace_string --match_string=__FINALPATH__ --
replace_string=/var/www/etherpad_mypads
--target_file=/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,031: DEBUG - + local legacy_args=mrf
2020-04-02 09:21:05,031: DEBUG - + args_array=(([m]=match_string= [r]=replace_string= [f]=target_file=)
2020-04-02 09:21:05,031: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,033: DEBUG - + local match_string
2020-04-02 09:21:05,033: DEBUG - + local replace_string
2020-04-02 09:21:05,033: DEBUG - + local target_file
2020-04-02 09:21:05,034: DEBUG - + ynh_handle_getopts_args --match_string=__FINALPATH__ --
replace_string=/var/www/etherpad_mypads
--target_file=/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,034: DEBUG - + set +x
2020-04-02 09:21:05,134: DEBUG - + local delimiter=@
2020-04-02 09:21:05,134: DEBUG - + match_string=__FINALPATH__
2020-04-02 09:21:05,135: DEBUG - + replace_string=/var/www/etherpad_mypads
2020-04-02 09:21:05,135: DEBUG - + sudo sed --in-place
s@__FINALPATH__@/var/www/etherpad_mypads@g
/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,135: DEBUG - + '[' /pad !=' / ']'
2020-04-02 09:21:05,135: DEBUG - + ynh_replace_string '--match_string=^#sub_path_only' --
replace_string= --target_file=/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,135: DEBUG - + local legacy_args=mrf
2020-04-02 09:21:05,136: DEBUG - + args_array=(([m]=match_string= [r]=replace_string= [f]=target_file=)
2020-04-02 09:21:05,136: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,136: DEBUG - + local match_string
2020-04-02 09:21:05,136: DEBUG - + local replace_string
2020-04-02 09:21:05,136: DEBUG - + local target_file
2020-04-02 09:21:05,137: DEBUG - + ynh_handle_getopts_args '--match_string=^#sub_path_only' --
replace_string= --target_file=/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,137: DEBUG - + set +x
2020-04-02 09:21:05,137: DEBUG - + local delimiter=@
2020-04-02 09:21:05,137: DEBUG - + match_string='^#sub_path_only'
2020-04-02 09:21:05,137: DEBUG - + replace_string=
2020-04-02 09:21:05,138: DEBUG - + sudo sed --in-place 's@^#sub_path_only@@g'
/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,138: DEBUG - + ynh_store_file_checksum
--file=/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,138: DEBUG - + local legacy_args=f
2020-04-02 09:21:05,138: DEBUG - + args_array=([f]=file=)
2020-04-02 09:21:05,138: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,139: DEBUG - + local file
2020-04-02 09:21:05,139: DEBUG - + ynh_handle_getopts_args
--file=/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,139: DEBUG - + set +x
2020-04-02 09:21:05,139: DEBUG - + local
checksum_setting_name=checksum__etc_nginx_conf.d_mhеп.netlib.re.d_etherpad_mypads.conf
2020-04-02 09:21:05,139: DEBUG - ++ cut '-d' -f1
2020-04-02 09:21:05,139: DEBUG - ++ sudo md5sum
/etc/nginx/conf.d/mhеп.netlib.re.d/etherpad_mypads.conf
2020-04-02 09:21:05,140: DEBUG - + ynh_app_setting_set --app=etherpad_mypads --
key=checksum__etc_nginx_conf.d_mhеп.netlib.re.d_etherpad_mypads.conf --
value=b006282fb7b536c86d8d29358000ba1d
2020-04-02 09:21:05,141: DEBUG - + local legacy_args=akv
```

```
2020-04-02 09:21:05,141: DEBUG - + args_array=(([a]=app= [k]=key= [v]=value=)
2020-04-02 09:21:05,141: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,141: DEBUG - + local app
2020-04-02 09:21:05,142: DEBUG - + local key
2020-04-02 09:21:05,142: DEBUG - + local value
2020-04-02 09:21:05,142: DEBUG - + ynh_handle_getopts_args --app=etherpad_mypads --
key=checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf --
value=b006282fb7b536c86d8d29358000ba1d
2020-04-02 09:21:05,142: DEBUG - + set +x
2020-04-02 09:21:05,243: DEBUG - + ynh_app_setting set etherpad_mypads
checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
b006282fb7b536c86d8d29358000ba1d
2020-04-02 09:21:05,243: DEBUG - + [[ set == \d\e\l\e\t\e ]]
2020-04-02 09:21:05,243: DEBUG - + ACTION=set
2020-04-02 09:21:05,243: DEBUG - + APP=etherpad_mypads
2020-04-02 09:21:05,244: DEBUG - +
KEY=checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf
2020-04-02 09:21:05,244: DEBUG - + VALUE=b006282fb7b536c86d8d29358000ba1d
2020-04-02 09:21:05,244: DEBUG - + python2.7 -
2020-04-02 09:21:05,344: DEBUG - +
[[ checksum__etc_nginx_conf.d_mhep.netlib.re.d_etherpad_mypads.conf =~ ^(unprotected|skipped)_ ]]
2020-04-02 09:21:05,345: DEBUG - + '[' -n '' ]'
2020-04-02 09:21:05,345: DEBUG - + unset backup_file_checksum
2020-04-02 09:21:05,345: DEBUG - + ynh_systemd_action --service_name=nginx --action=reload
2020-04-02 09:21:05,345: DEBUG - + local legacy_args=nalpte
2020-04-02 09:21:05,346: DEBUG - + args_array=(([n]=service_name= [a]=action= [l]=line_match=
[p]=log_path= [t]=timeout= [e]=length=)
2020-04-02 09:21:05,346: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,346: DEBUG - + local service_name
2020-04-02 09:21:05,346: DEBUG - + local action
2020-04-02 09:21:05,347: DEBUG - + local line_match
2020-04-02 09:21:05,347: DEBUG - + local length
2020-04-02 09:21:05,347: DEBUG - + local log_path
2020-04-02 09:21:05,347: DEBUG - + local timeout
2020-04-02 09:21:05,349: DEBUG - + ynh_handle_getopts_args --service_name=nginx --action=reload
2020-04-02 09:21:05,350: DEBUG - + set +x
2020-04-02 09:21:05,350: DEBUG - + local service_name=nginx
2020-04-02 09:21:05,350: DEBUG - + local action=reload
2020-04-02 09:21:05,351: DEBUG - + local log_path=/var/log/nginx/nginx.log
2020-04-02 09:21:05,351: DEBUG - + local length=20
2020-04-02 09:21:05,351: DEBUG - + local timeout=300
2020-04-02 09:21:05,351: DEBUG - + [[ -n '' ]]
2020-04-02 09:21:05,352: DEBUG - + '[' reload == reload ]'
2020-04-02 09:21:05,353: DEBUG - + action=reload-or-restart
2020-04-02 09:21:05,354: DEBUG - + systemctl reload-or-restart nginx
2020-04-02 09:21:05,454: DEBUG - + [[ -n '' ]]
2020-04-02 09:21:05,455: DEBUG - + ynh_script_progression '--message=Configuring system user...' --
weight=3
2020-04-02 09:21:05,455: DEBUG - + set +x
2020-04-02 09:21:05,455: DEBUG - + set +x
2020-04-02 09:21:05,455: DEBUG - + echo '! Helper used in legacy mode !'
2020-04-02 09:21:05,456: DEBUG - + set +x
2020-04-02 09:21:05,456: DEBUG - + echo '[#####.....] > Configuring system user...'
2020-04-02 09:21:05,456: DEBUG - + set -x
```



```
2020-04-02 09:21:05,456: DEBUG - + ynh_system_user_create --username=etherpad_mypads --
home_dir=/var/www/etherpad_mypads
2020-04-02 09:21:05,456: DEBUG - + local legacy_args=uhs
2020-04-02 09:21:05,456: DEBUG - + args_array=( [u]=username= [h]=home_dir= [s]=use_shell)
2020-04-02 09:21:05,457: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,457: DEBUG - + local username
2020-04-02 09:21:05,457: DEBUG - + local home_dir
2020-04-02 09:21:05,457: DEBUG - + local use_shell
2020-04-02 09:21:05,458: DEBUG - + ynh_handle_getopts_args --username=etherpad_mypads --
home_dir=/var/www/etherpad_mypads
2020-04-02 09:21:05,458: DEBUG - + set +x
2020-04-02 09:21:05,458: DEBUG - + use_shell=0
2020-04-02 09:21:05,458: DEBUG - + home_dir=/var/www/etherpad_mypads
2020-04-02 09:21:05,458: DEBUG - + ynh_system_user_exists etherpad_mypads
2020-04-02 09:21:05,458: DEBUG - + local legacy_args=u
2020-04-02 09:21:05,459: DEBUG - + args_array=( [u]=username=)
2020-04-02 09:21:05,459: DEBUG - + declare -Ar args_array
2020-04-02 09:21:05,459: DEBUG - + local username
2020-04-02 09:21:05,459: DEBUG - + ynh_handle_getopts_args etherpad_mypads
2020-04-02 09:21:05,459: DEBUG - + set +x
2020-04-02 09:21:05,459: DEBUG - + echo '! Helper used in legacy mode !'
2020-04-02 09:21:05,462: DEBUG - + set +x
2020-04-02 09:21:05,462: DEBUG - + getent passwd etherpad_mypads
2020-04-02 09:21:05,462: DEBUG - + '[' -n /var/www/etherpad_mypads ']'
2020-04-02 09:21:05,462: DEBUG - + local 'user_home_dir=-d /var/www/etherpad_mypads'
2020-04-02 09:21:05,462: DEBUG - + '[' 0 -eq 1 ']'
2020-04-02 09:21:05,463: DEBUG - + local 'shell=--shell /usr/sbin/nologin'
2020-04-02 09:21:05,463: DEBUG - + useradd -d /var/www/etherpad_mypads --system --user-group
etherpad_mypads --shell /usr/sbin/nologin
2020-04-02 09:21:09,273: DEBUG - + ynh_script_progression '--message=Configuring log rotation...'
2020-04-02 09:21:09,273: INFO - [#####.....] > Configuring system user...
2020-04-02 09:21:09,274: DEBUG - + set +x
2020-04-02 09:21:09,374: DEBUG - + set +x
2020-04-02 09:21:09,375: INFO - [#####.....] > Configuring log rotation...
2020-04-02 09:21:09,375: DEBUG - + echo '! Helper used in legacy mode !'
2020-04-02 09:21:09,375: DEBUG - + set +x
2020-04-02 09:21:09,375: DEBUG - + echo '[#####.....] > Configuring log rotation...'
2020-04-02 09:21:09,376: DEBUG - + set -x
2020-04-02 09:21:09,376: DEBUG - + mkdir -p /var/log/etherpad_mypads
2020-04-02 09:21:09,376: DEBUG - + touch /var/log/etherpad_mypads/etherpad.log
2020-04-02 09:21:09,376: DEBUG - + install_log=/var/log/etherpad_mypads/installation.log
2020-04-02 09:21:09,376: DEBUG - + touch /var/log/etherpad_mypads/installation.log
2020-04-02 09:21:09,377: DEBUG - + chown etherpad_mypads -R /var/log/etherpad_mypads
2020-04-02 09:21:09,377: DEBUG - + ynh_use_logrotate
2020-04-02 09:21:09,377: DEBUG - + local legacy_args=lnuya
2020-04-02 09:21:09,377: DEBUG - + args_array=( [l]=logfile= [n]=nonappend [u]=specific_user= [y]=non
[a]=append)
2020-04-02 09:21:09,377: DEBUG - + declare -Ar args_array
2020-04-02 09:21:09,378: DEBUG - + local logfile
2020-04-02 09:21:09,378: DEBUG - + local nonappend
2020-04-02 09:21:09,378: DEBUG - + local specific_user
2020-04-02 09:21:09,378: DEBUG - + ynh_handle_getopts_args
2020-04-02 09:21:09,378: DEBUG - + set +x
2020-04-02 09:21:09,378: DEBUG - + local logfile=
2020-04-02 09:21:09,379: DEBUG - + local nonappend=0
```



2020-04-02 09:21:41,106: WARNING - Ensure that all dependencies are up to date... If this is the first time you have run Etherpad please be patient.

2020-04-02 09:21:41,106: DEBUG - +++ cat /var/log/etherpad\_mypads/installation.log

2020-04-02 09:21:41,106: WARNING - Killed

2020-04-02 09:21:41,107: DEBUG - + ynh\_print\_err 'Copy the settings template to settings.json...

2020-04-02 09:21:41,107: DEBUG - Ensure that all dependencies are up to date... If this is the first time you have run Etherpad please be patient.

2020-04-02 09:21:41,107: DEBUG - Killed'

2020-04-02 09:21:41,107: DEBUG - + local legacy\_args=m

2020-04-02 09:21:41,107: DEBUG - + args\_array=(*[m]*=message=)

2020-04-02 09:21:41,107: DEBUG - + declare -Ar args\_array

2020-04-02 09:21:41,108: DEBUG - + local message

2020-04-02 09:21:41,108: DEBUG - + ynh\_handle\_getopts\_args 'Copy the settings template to settings.json...

2020-04-02 09:21:41,108: DEBUG - Ensure that all dependencies are up to date... If this is the first time you have run Etherpad please be patient.

2020-04-02 09:21:41,109: DEBUG - Killed'

2020-04-02 09:21:41,109: DEBUG - + set +x

2020-04-02 09:21:41,109: DEBUG - + echo '! Helper used in legacy mode !'

2020-04-02 09:21:41,109: DEBUG - + set +x

2020-04-02 09:21:41,109: DEBUG - + ynh\_print\_log '\e[91m\e[1m[ERR]\e[0m Copy the settings template to settings.json...

2020-04-02 09:21:41,110: DEBUG - Ensure that all dependencies are up to date... If this is the first time you have run Etherpad please be patient.

2020-04-02 09:21:41,110: DEBUG - Killed'

2020-04-02 09:21:41,110: DEBUG - + echo -e '\e[91m\e[1m[ERR]\e[0m Copy the settings template to settings.json...

2020-04-02 09:21:41,110: DEBUG - Ensure that all dependencies are up to date... If this is the first time you have run Etherpad please be patient.

2020-04-02 09:21:41,110: DEBUG - Killed'

2020-04-02 09:21:41,110: DEBUG - + false

2020-04-02 09:21:41,111: DEBUG - + ynh\_exit\_properly

2020-04-02 09:21:41,111: DEBUG - + local exit\_code=1

2020-04-02 09:21:41,111: DEBUG - + '[' 1 -eq 0 '

2020-04-02 09:21:41,111: DEBUG - + trap " EXIT

2020-04-02 09:21:41,111: DEBUG - + set +eu

2020-04-02 09:21:41,112: DEBUG - + sleep 0.5

2020-04-02 09:21:41,517: DEBUG - + type -t ynh\_clean\_setup

2020-04-02 09:21:41,517: WARNING -

2020-04-02 09:21:41,517: DEBUG - + ynh\_clean\_setup

2020-04-02 09:21:41,518: DEBUG - + ynh\_clean\_check\_starting

2020-04-02 09:21:41,518: DEBUG - + '[' -n " '

2020-04-02 09:21:41,518: DEBUG - + '[' -n " '

2020-04-02 09:21:41,518: DEBUG - + ynh\_die

2020-04-02 09:21:41,518: DEBUG - + local legacy\_args=mc

2020-04-02 09:21:41,518: DEBUG - + args\_array=(*[m]*=message= *[c]*=ret\_code=)

2020-04-02 09:21:41,519: DEBUG - + declare -Ar args\_array

2020-04-02 09:21:41,519: DEBUG - + local message

2020-04-02 09:21:41,519: DEBUG - + local ret\_code

2020-04-02 09:21:41,519: DEBUG - + ynh\_handle\_getopts\_args

2020-04-02 09:21:41,519: DEBUG - + set +x

2020-04-02 09:21:41,519: DEBUG - + echo "

2020-04-02 09:21:41,520: DEBUG - + exit 1

2020-04-02 09:21:41,659: ERROR - Impossible d'installer etherpad\_mypads: Une erreur est survenue dans le script d'installation de l'application

Traceback (most recent call last):

File "/usr/lib/python2.7/dist-packages/moulinette/interfaces/api.py", line 301, in wrapper

curr\_v = params[k]

KeyError: 'label'