
Base system (basesystem)

[WARNING] 'apt' (the system's package manager) is currently configured to install any 'testing' upgrade for Yunohost core.

- This is probably OK if you know what you are doing, but pay attention to the release notes before installing Yunohost upgrades! If you want to disable 'testing' upgrades, you should remove the 'testing' keyword from '/etc/apt/sources.list.d/yunohost.list'.

[WARNING] There's been a suspiciously high number of authentication failures recently. You may want to make sure that fail2ban is running and is correctly configured, or use a custom port for SSH as explained in <https://doc.yunohost.org/security>.

Internet connectivity (ip)

[WARNING] The server does not have working IPv6.

- IPv6 should usually be automatically configured by the system or your provider if it's available. Otherwise, you might need to configure a few things manually as explained in the documentation here: <https://doc.yunohost.org/ipv6>.

DNS records (dnsrecords)

[ERROR] Some DNS records are missing or incorrect for domain yuno-ralph.run.place (category basic)

- Please check the documentation at https://doc.yunohost.org/dns_config if you need help configuring DNS records.

- The following DNS record does not seem to follow the recommended configuration:

Type: A

Name: @

Current value: 140.177.194.36

Expected value: 140.177.198.105

[WARNING] Some DNS records are missing or incorrect for domain yuno-ralph.run.place (category mail)

- Please check the documentation at https://doc.yunohost.org/dns_config if you need help configuring DNS records.

- According to the recommended DNS configuration, you should add a DNS record with the following info.

Type: MX

Name: @

Value: 10 yuno-ralph.run.place.

- According to the recommended DNS configuration, you should add a DNS record with the following info.

Type: TXT

Name: @

Value: "v=spf1 a mx -all"

- According to the recommended DNS configuration, you should add a DNS record with the following info.

Type: TXT

Name: mail._domainkey

Value: "v=DKIM1; h=sha256; k=rsa;

p=MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCsEKf3rGB2KtWHgflh6OPtIQkO+oXn/LjXtilRC78

y893JYJ+oqCi+tfCwy3Y+JBy1UgztsoJj6sQGXkUYAeCCDOO1pbZDGuXqAf0H7q5A+22PEDF6tSxjAqTTGQxlG8GjT5GIQ8PNy6hIpU/fZz2gzFJ+PK0d2Npy0yJr13RJQIDAQAB"

- According to the recommended DNS configuration, you should add a DNS record with the following info.

Type: TXT

Name: _dmarc

Value: "v=DMARC1; p=none"

[WARNING] Some DNS records are missing or incorrect for domain yuno-ralph.run.place (category extra)

- Please check the documentation at https://doc.yunohost.org/dns_config if you need help configuring DNS records.

- According to the recommended DNS configuration, you should add a DNS record with the following info.

Type: A

Name: *

Value: 140.177.198.105

Ports exposure (ports)

[ERROR] Port 80 is not reachable from the outside.

- Exposing this port is needed for web features (service nginx)

- To fix this issue, you most probably need to configure port forwarding on your internet router as described in https://doc.yunohost.org/providers/isp_box_config

[ERROR] Port 443 is not reachable from the outside.

- Exposing this port is needed for web features (service nginx)

- To fix this issue, you most probably need to configure port forwarding on your internet router as described in https://doc.yunohost.org/providers/isp_box_config

[ERROR] Port 587 is not reachable from the outside.

- Exposing this port is needed for email features (service postfix)

- To fix this issue, you most probably need to configure port forwarding on your internet router as described in https://doc.yunohost.org/providers/isp_box_config

[ERROR] Port 993 is not reachable from the outside.

- Exposing this port is needed for email features (service dovecot)

- To fix this issue, you most probably need to configure port forwarding on your internet router as described in https://doc.yunohost.org/providers/isp_box_config

[ERROR] Port 1935 is not reachable from the outside.

- Exposing this port is needed for [?] features (service owncast)

- To fix this issue, you most probably need to configure port forwarding on your internet router as described in https://doc.yunohost.org/providers/isp_box_config

Web (web)

[WARNING] Could not diagnose if domains are reachable from outside in IPv4.

- Error: HTTPConnectionPool(host='diagnosis.yunohost.org', port=443): Read timed out. (read timeout=30)

Email (mail)

[ERROR] Reverse DNS is not correctly configured for IPv4. Some emails may fail to get delivered or be flagged as spam.

- Current reverse DNS: fiber-105.ofallon.il.i3broadband.com
Expected value: shinevar.nohost.me
- You should first try to configure reverse DNS with shinevar.nohost.me in your internet router interface or your hosting provider interface. (Some hosting providers may require you to send them a support ticket for this).
- Some providers won't let you configure your reverse DNS (or their feature might be broken...). If you are experiencing issues because of this, consider the following solutions:
 - Some ISP provide the alternative of using a mail server relay though it implies that the relay will be able to spy on your email traffic.
 - A privacy-friendly alternative is to use a VPN *with a dedicated public IP* to bypass this kind of limits. See https://doc.yunohost.org/vpn_advantage
 - Or it's possible to switch to a different provider

[ERROR] Your IP or domain 140.177.198.105 is blocklisted on Spamhaus ZEN

- The blocklist reason is: "Listed by PBL, see <https://check.spamhaus.org/query/ip/140.177.198.105>"
- After identifying why you are listed and fixing it, feel free to ask for your IP or domain to be removed on <https://www.spamhaus.org/zen/>

Services status check (services)

[WARNING] Service mongodb is unknown :(

- You can try to restart the service, and if it doesn't work, have a look at the service logs in the webadmin (from the command line, you can do this with 'yunohost service restart mongodb' and 'yunohost service log mongodb').

[ERROR] Service yunomdns is dead :(

- You can try to restart the service, and if it doesn't work, have a look at the service logs in the webadmin (from the command line, you can do this with 'yunohost service restart yunomdns' and 'yunohost service log yunomdns').

System configurations (regenconf)

[WARNING] Configuration file /etc/apt/sources.list.d/extra_php_version.list appears to have been manually modified.

- This is probably OK if you know what you're doing! YunoHost will stop updating this file automatically... But beware that YunoHost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf apt --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf apt --force'

[WARNING] Configuration file /etc/default/dnsmasq appears to have been manually modified.

- This is probably OK if you know what you're doing! YunoHost will stop updating this file automatically... But beware that YunoHost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf dnsmasq --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf dnsmasq --force'

[WARNING] Configuration file /etc/fail2ban/jail.conf appears to have been manually modified.

- This is probably OK if you know what you're doing! Yunohost will stop updating this file automatically... But beware that Yunohost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf fail2ban --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf fail2ban --force'

[WARNING] Configuration file /etc/postfix/main.cf appears to have been manually modified.

- This is probably OK if you know what you're doing! Yunohost will stop updating this file automatically... But beware that Yunohost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf postfix --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf postfix --force'

[WARNING] Configuration file /etc/postfix/master.cf appears to have been manually modified.

- This is probably OK if you know what you're doing! Yunohost will stop updating this file automatically... But beware that Yunohost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf postfix --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf postfix --force'

[WARNING] Configuration file /etc/postfix/sasl_passwd appears to have been manually modified.

- This is probably OK if you know what you're doing! Yunohost will stop updating this file automatically... But beware that Yunohost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf postfix --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf postfix --force'

[WARNING] Configuration file /etc/postfix/sasl_passwd.db appears to have been manually modified.

- This is probably OK if you know what you're doing! Yunohost will stop updating this file automatically... But beware that Yunohost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf postfix --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf postfix --force'

[WARNING] Configuration file /etc/ssh/sshd_config appears to have been manually modified.

- This is probably OK if you know what you're doing! Yunohost will stop updating this file automatically... But beware that Yunohost upgrades could contain important recommended changes. If you want to, you can inspect the differences with 'yunohost tools regen-conf ssh --dry-run --with-diff' and force the reset to the recommended configuration with 'yunohost tools regen-conf ssh --force'

[ERROR] The SSH configuration appears to have been manually modified, and is insecure because it contains no 'AllowGroups' or 'AllowUsers' directive to limit access to authorized users.

Applications (apps)

[WARNING] An issue was found for app Minchat

- This application is not in Yunohost's application catalog. If it was in the past and was removed, you should consider uninstalling this app as it won't receive upgrades and may compromise the integrity and security of your system.

[WARNING] An issue was found for app Shell In A Box

- This application is not in Yunohost's application catalog. If it was in the past and was removed, you should consider uninstalling this app as it won't receive upgrades and may compromise the integrity and security of your system.